

5 monocrystalline layer thus closely covering the totality
6 of this platelet.

1 4. (Amended) Monoatomic and monocrystalline layer
2 according to claim 1, covered with a monocrystalline
3 layer of diamond formed by growth from the monoatomic and
4 monocrystalline layer, the latter acting as matrix.

1 5. (Amended) Manufacturing process of a monoatomic
2 and monocrystalline layer of diamond type carbon, this
3 process being characterized in that one forms a
4 monocrystalline substrate in SiC terminated by a carbon
5 atomic plane according to a c(2x2) reconstruction, this
6 plane being a plane of carbon-carbon dimers of sp
7 configuration, and in that one carries out at least one
8 annealing of this substrate, this annealing being able to
9 transform the plane of carbon-carbon dimers of sp
10 configuration into a plane of carbon-carbon dimers of sp³
11 configuration thus forming a monoatomic and
12 monocrystalline layer of diamond type carbon.

5b
B8
1 6. (Amended) Process according to claim 5, in which
2 the SiC monocrystalline substrate is prepared from a thin
3 layer of monocrystalline SiC in cubic phase β -SiC with a
4 face terminated by a layer of Si.

Please add the following claims 12 - 14.

A⁴ 12. Process according to claim 7, in which, to
obtain to atomic plane of carbon according to the
reconstruction c(2x2), an annealing is carried out
capable of eliminating the layer of Si.

13. Process according to claim 7, in which, to
obtain the atomic plane of carbon according to the
reconstruction c(2x2), a deposit of hydrocarboned
molecules is made on the layer of Si followed by a
cracking of these molecules.

14. Process according to claim 13, in which the
hydrocarboned molecules are chosen from the group
comprising the molecules of C₂H₄ and the molecules of C₂H₂.